Diagnostic Check List

		Date	Date	Date	Date
Name		Date	Date	Date	Date
Diagnosis		yrs	yrs	yrs	yrs
Date off Treatment		post Rx	post Rx	post Rx	post Rx
At risk and Reason	I				
Eyes/Vision N	Y				
Teeth	Y				
Hearing N	Y				
Thyroid N	Y				
Heart	Y				
Lungs					
GI/Nutrition N					
Liver/Pancreas N	Y				
Kidney/Bladder					
N Reproductive Menses Tanner N	Y				
Breasts	Y				
N Bones/Joints	Y				
N Skin	Y				
N CNS	Y				
N Growth	Y	-			
N Immune Defence	Y	-			
Infections N School	Y				
N Psychology	Y				
N 2 nd Cancer	Y				
New Family History	Y				
Lansky/ Karnofsky					

Diagnostic Check List

Tanner Stage]			Tanner Stage [
Pubic Hair	Breasts		Pubic Hair	Penis	Testes		
1 Pre-adolescent	Pre-adolescent	1	None	Pre-adolescent	<2.5 cm		
2 Medial border of labia, sparse, light coloured	Breast and papilla elevated; areolar diameter increased	2	Scanty, long, slightly pigmented	Slightly enlarged	Scrotum enlarged; skin pink and thinner; 2.5–3.2 cm		
3 Darker, beginning to curl	Breast and areola enlarged; no spearation	3	Darker, starts to curl	Longer	Larger; 3.3–4.0 cm		
4 Coarse and curly; less than adult amount	Areola and papilla form a second mound	4	Coarse, curly, less than adult amount	Length and breadth increased	Larger; scrotum darker; 4.0–4.5 cm		
5 Adult distribution	Adult form; nipple projects	5	Adult distribution	Adult size	Adult size; >4.5 cm		

Karnofsky Performance Scale			Modified Lanskey Play-Performance Scale			
(For use with persons ages ≥17 years)				(For use with persons ages 1 through 16)		
100 %	Normal; no complaints, no evidence of disease		100 %	Fully active, normal		
90%	Able to carry on normal activity; minor signs or symptoms of disease		90%	Minor restrictions in physically strenuous activity		
80%	Normal activity with effort, some signs or symptoms of disease		80%	Active, but tires more quickly		
70%	Cares for self; unable to carry on normal activity or to do active work		70%	Both greater restriction of, and less time spent in, play activities		
60%	Requires occasional assistance, but is able to care for most of own needs		60%	Up and around, but minimal active play; keeps busy with quieter activities		
50%	Requires considerable assistance and frequent medical care		50%	Gets dressed but lies around much of the day; no active play; able to participate in all quiet play and activities		
40%	Disable, requires special care and assistance		40%	Mostly in bed; participates in quiet activities		
30%	Severely disabled, hospitalization is indicated although death is not imminent		30%	In bed; needs assistance even for quiet play		
20%	Hospitalization necessary, very sick, active supportive treatment necessary		20%	Often sleeping; play entirely limited to very passive activities		
10%	Moribund, fatal processes progressing rapidly		10%	No play; does not get out of bed		
0%	Dead		5%	Unresponsive		
			0%	Dead		